



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/822,713	03/30/2001	Andrew J. Thurston	M-8319 US	7267

33031 7590 03/14/2005

CAMPBELL STEPHENSON ASCOLESE, LLP
4807 SPICEWOOD SPRINGS RD.
BLDG. 4, SUITE 201
AUSTIN, TX 78759

EXAMINER

CRAIG, DWIN M

ART UNIT PAPER NUMBER

2123

DATE MAILED: 03/14/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/822,713

Applicant(s)

THURSTON, ANDREW J.

Examiner

Dwin M Craig

Art Unit

2123

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12-3-2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-45 is/are pending in the application.
- 4a) Of the above claim(s) 6 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7-45 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>2</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. **Claims 1-5 and 7-45** have been presented for Reconsideration in view of Applicants arguments and amended claim language.

Response to Arguments

2. The arguments and amendments presented by the Applicant in the 12-3-2004 response have been fully considered. The Examiner's response is as follows.

2.1 Regarding the Applicants response to the Examiner's objection to the specification.

The Examiner thanks the Applicant for the amendment to the specification by including the serial numbers for the related co-pending patent applications and withdraws the earlier objection to the specification.

2.2 Regarding the Applicant's response to the 35 U.S.C. 112 rejections of claims 26, 34, 36 and 44.

The Examiner thanks the Applicant for amending the claims language in these claims and withdraws the 35 U.S.C. 112 rejections of the claims.

2.3 Regarding the Applicant's response to the Examiner's claim interpretation.

Applicant argued,

Accordingly it is improper to ignore the term "ASCII" when interpreting the claims. Furthermore Applicant disagrees with the assertion that any "string" is the functional equivalent of an ASCII string. An ASCII string is a string that includes ASCII characters, which are encoded according to specific rules. A non-ASCII string lacks these characteristics.

The Examiner respectfully asserts that defining a string and storing the same in a memory element and using a hardware description language to implement the storage of the same string is functionally equivalent to storing the same string using ASCII encoding. However, the Examiner agrees with the Applicant that the presented prior art references do not expressly disclose the storage of an “ASCII” string.

However, the Examiner notes that in the *Foxcraft* reference it is *inherent* that there be a storage of some type of “strings” coefficients in order to properly perform a “*Galois Field Multiplier*” as claimed and enabled by Applicant’s claim language and specification. It is further noted that the presence of the “*inherent*” strings of coefficients are disclosed in **(Figure 8 item 86 and Figure 9 items labeled, α^3 , α^4 and α^5)**. To clarify the Examiner’s position further, the Examiner respectfully asserts that in order to enable the claimed limitations of, *implementing a circuit representing a complex polynomial equation in a hardware description language and representing the complex polynomial equation in a software program, requires* that some method of storing the polynomials coefficients and that the method that is used in the art and is the most efficient requires the storage of a data structure that is the functional equivalent of a “string” no matter what the encoding method being used consists of. Finally, it doesn’t matter if the encoding of the coefficients is performed using a *ASCII*, or *binary*, or *hexadecimal*, or *octal* encoding scheme, in the end the coefficients must store the numerical coefficients of the polynomial in order to perform the claimed functionality.

2.4 Regarding the Applicant’s response to the 35 U.S.C. 102(b) rejection of claim 7.

The Applicant argued,

Art Unit: 2123

Foxcraft fails to anticipate, teach or suggest "producing one or more parallel equations in a hardware description language" and "merging the one or more parallel equations into a hardware description language implementation of a Galios Field circuit" as recited in claim 7.

The Examiner respectfully traverses the Applicant's arguments. The Examiner respectfully points out that the *Foxcraft* reference discloses *production* of one or more parallel equations in a hardware description language (**EXAMPLE Col. 8 Lines 27+, Col. 9 Col. 10**), the program listings clearly disclose the production of HDL code further, it is *inherent* that the HDL code would be merged into an ASIC design. *However*, the *Foxcraft* reference does not expressly disclose the simulation of a serial circuit, therefore the 35 U.S.C. 102(b) rejection of claim 7 is withdrawn.

2.3 Regarding all of Applicants arguments regarding the rejections of claims 1, 7, 16, 19, 26 and 36.

The Examiner notes that the cited art does not teach the limitation of simulating a serial circuit and therefore with draws the 35 U.S.C. 102 and 103 rejections of the claims 1, 7, 16, 19, 26 and 36.

An updated search has revealed new art.

Claim Interpretation

3. The claims have been given the broadest interpretation by the examiner. For the purposes of examination the examiner has determined that the "*ASCII string*" as claimed refers to a method of encoding coefficients for a polynomial that is being programmed using a hardware description language and that any "*string*" of values used for such a purpose is functionally equivalent to an "*ASCII string*."

Art Unit: 2123

The Examiner notes that in a system that uses recursion, *feedback* is inherently part of the system.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness

or nonobviousness.

4. Independent **Claim 7** is rejected under 35 U.S.C. 103(A) as being unpatentable over **Foxcraft U.S. Patent 5,818,855** in view of **Ko et al. U.S. Patent 5,905,664**.

4.1 As regards independent **Claim 7** the *Foxcraft* reference discloses, a method for implementing a circuit representing a complex polynomial equation in an ASIC (**Figure 5, Col. 1 Lines 53-55, Col. 2 Lines 18-37, Col. 8 Lines 5-13**), producing one or more parallel equations in a hardware description language (**EXAMPLE Col. 8 Lines 27+, Col. 9 Col. 10**), merging the parallel equations into a hardware description language (**EXAMPLE Col. 8 Lines 27+, Col. 9 Col. 10**), and implementing a Galois Field Circuit (**Figure 5, Col. 1 Lines 53-55**).

However, the *Foxcraft* reference does not expressly disclose the simulation of a serial circuit used for complex polynomials.

The *Ko et al.* reference discloses simulating a serial circuit for complex polynomials (**Figures 4 & 5, Col. 2 Lines 26-43, Col. 5 Lines 6-13**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made, to have used the simulation methods disclosed in the *Ko et al.* reference in combination with the Forward Error Correction methods of the *Foxcraft* reference because, by using the *Ko et al.* method, the remainders of modulo 2 polynomial division can be achieved in just one clock cycle (**Col. 2 Lines 45-48**).

5. Independent **Claims 26 and 36** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Tomizawa et al. U.S. Patent 5,574,717** in view of **Ko et al. U.S. Patent 5,905,664**.

5.1 As regards independent **Claims 26 and 36** the *Tomizawa et al.* reference discloses an apparatus for performing forward error correction on serial data stream using the *SONET* protocol (**Figures 1A, 1B, Col. 2 Lines 43-67, Col. 3 Lines 1-13**), and using *Galios Field Decoding* (**Col. 4 Lines 40-55**), and using a de-multiplexor (**Figure 10, Col. 9 Lines 15-56**).

However, the *Tomizawa et al.* reference does not expressly disclose the simulation of a serial circuit used for complex polynomials.

The *Ko et al.* reference discloses simulating a serial circuit for complex polynomials (**Figures 4 & 5, Col. 2 Lines 26-43, Col. 5 Lines 6-13**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made, to have used the simulation methods disclosed in the *Ko et al.* reference in combination with the Forward Error Correction methods of the *Tomizawa et al.* reference because, by using the *Ko et al.* method, the remainders of modulo 2 polynomial division can be achieved in just one clock cycle (**Col. 2 Lines 45-48**).

6. Independent **Claims 1, 16 and 19** and dependent **Claims 2-6, 8-15, 17, 18 and 20-25** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Foxcroft U.S. Patent 5,818,855** in view of **Ko et al. U.S. Patent 5,905,664** in further view of **Oskouy et al U.S. Patent 5,673,279** and in further view of **Kao U.S. Patent 5,642,367**.

6.1 As regards independent **Claims 1, 16 and 19** the *Foxcroft* reference discloses a method of implementing a circuit representing a complex polynomial in a hardware description language (**Col. 2 Lines 18-37, EXAMPLE, Col. 7, 8, 9 & 10**), storing a plurality of “strings” of data in a plurality of storage elements (**Figure 5, Figure 7 Items 70, 60, 62, 64, 66, Col. 4 Lines 32-45**), where the plurality of “strings” represent a plurality of initial values of a circuit (**Col. 3 Lines 18-45**), storing the “strings” in data structures (**Col. 7, 8, 9 & 10**), where the “strings” represent mathematical operations (**Figure 1, Col. 4 Lines 7-67, Col. 5 and Col. 6 Lines 1-39**).

However, the *Foxcroft* reference does not expressly disclose the *simulation* of a serial communications device or *executing* the serial circuit for a *plurality of cycles*.

However, neither the *Foxcraft* nor the *Oskiuy et al.* reference discloses the simulation of a serial data stream using complex polynomials.

The *Oskiuy et al.* reference discloses simulation of a serial device, using a hardware description language and simulating forward error correction (*CRC*) calculation (**Figure 4 and Col. 2 Lines 40-57, Col. 4 Lines 53-67, Col. 5 Lines 1-27**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made, to have simulated the circuit design created using a hardware description language, as disclosed in the *Foxcroft* reference because the simulation will allow the designed to “*Debug*” the design before the design is fabricated using an expensive fabrication process to create an integrated circuit.

The *Kao* reference discloses that in order to properly simulate a *forward error correcting* circuit design that the circuit performing the calculations of a *Galois* field must operate for a plurality of cycles (**Col. 8 Lines 58-67 and Col. 9 Lines 1-18**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made to have a serial communications circuit perform for a plurality of cycles because, in order to calculate a *Galois* field because multiplication is performed in digital logic using shift registers and in order to shift the values inside these shift registers and *multiply* them then the shift register must be clocked a *plurality of cycles*.

The *Ko et al.* reference discloses simulating a serial circuit for complex polynomials (**Figures 4 & 5, Col. 2 Lines 26-43, Col. 5 Lines 6-13**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made, to have used the simulation methods disclosed in the *Ko et al.* reference in combination with the Forward Error Correction methods of the *Foxcroft* reference because, by

Art Unit: 2123

using the *Ko et al.* method, the remainders of modulo 2 polynomial division can be achieved in just one clock cycle (**Col. 2 Lines 45-48**).

6.2 As regards independent **Claim 7** please see paragraph **5.1** above.

6.3 As regards dependent **Claims 2 and 17** the *Foxcroft* reference discloses both “XOR” for addition and “AND” for multiplication (**Figure 11 and Figure 10, Col 6 Lines 35-39, Col. 7 Lines 15-17**).

6.4 As regards dependent **Claims 3, 18 and 23** the *Foxcroft* reference discloses BCH codes used in forward error correction and represented in a complex polynomial equation (**Col. 1 Lines 60-65, Col. 2 Lines 18-36**).

6.5 As regards dependent **Claim 8** the *Foxcroft* reference discloses parallel equations implemented in hardware (**Figure 5, Figure 7 items 70,60, 62, 64 & 66, Col. 3 Lines 65-67, Col. 4 Lines 1-6**).

However, the *Foxcroft* reference does not expressly disclose the simulation of a serial communications device.

The *Oskiuy et al.* reference discloses simulation of a serial device, using a hardware description language and simulating forward error correction (*CRC*) calculation (**Figure 4 and Col. 2 Lines 40-57, Col. 4 Lines 53-67, Col. 5 Lines 1-27**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made, to have simulated the circuit design created using a hardware description language, as disclosed in the *Foxcroft* reference because the simulation will allow the designed to “*Debug*” the design before the design is fabricated using an expensive fabrication process to create an integrated circuit.

6.6 As regards dependent **Claims 9 and 20** the *Foxcroft* reference discloses storing a plurality of “*strings*” of data in a plurality of storage elements (**Figure 5, Figure 7 Items 70, 60, 62, 64, 66, Col. 4 Lines 32-45**), where the plurality of “*strings*” represent a plurality of initial values of a circuit (**Col. 3 Lines 18-45**).

6.7 As regards dependent **Claims 10 and 21** the *Foxcroft* reference discloses both “XOR” for addition and “AND” for multiplication (**Figure 11 and Figure 10, Col 6 Lines 35-39, Col. 7 Lines 15-17**).

6.8 As regards dependent **Claims 11 and 22** the *Foxcroft* reference does not expressly disclose simulating a circuit for a plurality of cycles.

The *Kao* reference discloses that in order to properly simulate a *forward error correcting* circuit design that the circuit performing the calculations of a *Galois* field must operate for a plurality of cycles (**Col. 8 Lines 58-67 and Col. 9 Lines 1-18**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made to have a serial communications circuit perform for a plurality of cycles because, in order to calculate a *Galois* field because multiplication is performed in digital logic using shift registers and in order to shift the values inside these shift registers and *multiply* them then the shift register must be clocked a *plurality of cycles*.

6.9 As regards dependent **Claims 5, 6 & 12** the *Foxcroft* reference discloses manufacturing an ASIC from a hardware description language implementation (**Col. 9 Lines 34-67 and Col. 10 Lines 34-55**).

6.10 As regards dependent **Claims 13 and 25** the *Foxcroft* reference does not expressly disclose circuit verification.

The *Oskouy et al.* reference discloses verifying a circuit design (**Figure 7, Col. 1 Lines 13-22, Col. 3 Lines 19-21**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made to verify the functioning of an ASIC during the design and simulation phase of product development because of the need to verify that the circuit design is working correctly before incurring the large cost involved in manufacturing an ASIC at a chip fabrication facility.

6.11 As regards dependent **Claim 14** the *Foxcroft* reference discloses a complex polynomial equation performing a BCH code (**Figure 5, Col. 2 Lines 18-37**).

6.12 As regards dependent **Claims 4, 15 and 24** the *Foxcroft* reference discloses merging one or more parallel equations into a hardware description language implementation of a Galois Field circuit (**EXAMPLE, Col. 7, 8, 9 & 10**), the Examiner notes that it is inherent that when using hardware description language that the editor used with the synthesis tool will allow the user to write the hardware description language listing to a file.

However, the *Foxcroft* reference does not expressly disclose removing initial register values and adding a feedback value.

The *Kao* reference discloses initial values (**Figure 9 note the values inside the blocks RA, RB, YA and YB, Figure 13 note the values in the YA block being shifted out, Col. 3 Lines 49-53, Col. 3 Lines 63-67, Col. 4 Lines 1-2**), and adding a feedback, recursive value, (**Figure 8, note the arrows going from the output of the MUX3/MUL3 block back into the parallel WRAA and WRAB blocks, this is feedback Col. 2 Lines 12-13, Col. 2 Lines 22-47 note the phrase "Recursive multiplication and division" recursion requires feedback in order to function, Col. 5 Lines 27-38**).

7. Dependent **Claims 27-30, 32, 34, 35, 37-40, 42, 44 and 45** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Tomizawa et al. U.S. Patent 5,574,717** in view of **Ko et al. U.S. Patent 5,905,664** and in further view of **Foxcroft U.S. Patent 5,818,855**.

7.1 As regards independent **Claims 26 and 36** see paragraph 5.1 above.

7.2 As regards dependent **Claims 27 and 37** the *Tomizawa et al.* reference does not expressly disclose the, *well known in the art method*, of using a hardware description language to design a high-speed communications circuit with forward error correction, however the *Tomizawa et al.* reference does disclose implementation in hardware of parallel equations (**Figure 15**).

The *Foxcroft* reference discloses using a hardware description language to high-speed communications circuit with forward error correction (**Col. 2 Lines 18-37, EXAMPLE, Col. 7, 8, 9 & 10**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made, to have used a hardware description language to design a high-speed communications circuit because, hardware description languages are flexible design tools that allow for simulation using *test benches*, and provide compatibility with other modern design methodologies to verify modern circuit designs, in such a manner that, to design a high-speed circuit using legacy methodologies would be cost prohibitive and to inefficient to be considered practical.

7.3 As regards dependent **Claims 28 and 38** the *Tomizawa et al.* reference does not expressly disclose using software to design a circuit, however the *Tomizawa et al.* reference does disclose implementation in hardware of parallel equations (**Figure 15**).

The *Foxcroft* reference discloses using software, to design a high speed serial communications circuit (**Col. 2 Lines 18-37, EXAMPLE, Col. 7, 8, 9 & 10**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made, to have used a hardware description language to design a high-speed communications circuit because, hardware description languages are flexible design tools that allow for simulation using *test benches*, and provide compatibility with other modern design methodologies to verify modern circuit designs, in such a manner that, to design a high-speed circuit using legacy methodologies would be cost prohibitive and to inefficient to be considered practical.

7.4 As regards dependent **Claims 29 and 39** the *Tomizawa et al.* reference does not expressly disclose *strings*.

The *Foxcroft* reference discloses storing a plurality of “*strings*” of data in a plurality of storage elements (**Figure 5, Figure 7 Items 70, 60, 62, 64, 66, Col. 4 Lines 32-45**), where the plurality of “*strings*” represent a plurality of initial values of a circuit (**Col. 3 Lines 18-45**), storing the “*strings*” in data structures (**Col. 7, 8, 9 & 10**), where the “*strings*” represent mathematical operations (**Figure 1, Col. 4 Lines 7-67, Col. 5 and Col. 6 Lines 1-39**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made, to have used a hardware description language methods, as disclosed in the *Foxcroft* reference, to design a high-speed communications circuit because, hardware description

Art Unit: 2123

languages are flexible design tools that allow for simulation using *test benches*, and provide compatibility with other modern design methodologies to verify modern circuit designs, in such a manner that, to design a high-speed circuit using legacy methodologies would be cost prohibitive and to inefficient to be considered practical.

7.5 As regards dependent **Claims 30 and 40** the *Tomizawa et al.* reference does not expressly disclose “XOR” or “AND” for addition and multiplication.

The *Foxcroft* reference discloses both “XOR” for addition and “AND” for multiplication (**Figure 11 and Figure 10, Col 6 Lines 35-39, Col. 7 Lines 15-17**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made, to have used a hardware description language methods, as disclosed in the *Foxcroft* reference, to design a high-speed communications circuit because, hardware description languages are flexible design tools that allow for simulation using *test benches*, and provide compatibility with other modern design methodologies to verify high density circuit designs, in such a manner that, to design a high-speed circuit using legacy methodologies, would be cost prohibitive and to inefficient to be considered practical.

7.6 As regards dependent **Claims 32 and 42** the *Tomizawa et al.* reference does not expressly disclose designing an ASIC.

The *Foxcroft* reference discloses designing an ASIC (**Col. 1 Lines 52-55, Col. 9 Lines 34-37**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made, to have implemented the design in an ASIC (Application Specific

Art Unit: 2123

Integrated Circuit) because of the increased performance available from using an ASIC as opposed to a Field Programmable Gate Array (*Tomizawa et al.* reference Col. 3 Lines 34-45).

7.7 As regards dependent **Claims 34 and 44** the *Tomizawa et al.* reference does not expressly disclose BCH code used for Forward Error Correction.

The *Foxcroft* reference discloses using a BCH code for Forward Error Correction (**Col. 2 Lines 18-37**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made, to have used a BCD code for Forward Error Correction so that the communications system of the *Tomizawa et al.* reference would be compatible with the DRAFT ETS 300 744 (May 1996) standard, (**Foxcroft Col. 1 Lines 19-34**).

7.8 As regards dependent **Claims 35 and 45** the *Tomizawa et al.* reference discloses parallel equations and feedback (**Figure 17 and Col. 11 & 12 “Sixth Embodiment”**).

8. Dependent **Claims 33 and 43** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Tomizawa et al. U.S. Patent 5,574,717** in view of **Foxcroft U.S. Patent 5,818,855** and in view of **Ko et al. U.S. Patent 5,905,664** and in further view of **Oskouy et al. U.S. Patent 5,673,279**.

8.1 As regards independent **Claims 26 and 36** see section 5.1 above.

8.2 As regards dependent **Claims 27 and 32** please see sections 7.2 and 7.6 above.

8.3 As regards dependent **Claim 42** please see section 7.6 above.

8.4 As regards dependent **Claims 33 and 43** the *Tomizawa et al.* reference does not expressly disclose verifying a circuit design.

The *Oskouy et al.* reference discloses verifying a circuit design (**Figure 7, Col. 1 Lines 13-22, Col. 3 Lines 19-21**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made to verify the functioning of an ASIC during the design and simulation phase of product development because of the need to verify that the circuit design is working correctly before incurring the large cost involved in manufacturing an ASIC at a chip fabrication facility.

9. Dependent **Claims 31 and 41** is rejected under 35 U.S.C. 103(a) as being unpatentable over **Tomizawa et al. U.S. Patent 5,574,717** in view of **Foxcroft U.S. Patent 5,818,855** and in view of **Ko et al. U.S. Patent 5,905,664** and in further view of **Kao U.S. Patent 5,642,367**.

9.1 As regards independent **Claims 26 and 36** see section 5.1 above.

9.2 As regards dependent **Claims 28** see section 7.3 above.

9.3 As regards dependent **Claims 37 and 38** see sections 7.2 and 7.3 above.

9.4 As regards dependent **Claims 31 and 41** the *Tomizawa et al.* reference does not expressly disclose a plurality of cycles being simulated.

The *Kao* reference discloses that in order to properly simulate a *forward error correcting* circuit design that the circuit performing the calculations of a *Galois* field must operate for a plurality of cycles (**Col. 8 Lines 58-67 and Col. 9 Lines 1-18**).

It would have been obvious, to one of ordinary skill in the art, at the time the invention was made to have a serial communications circuit perform for a plurality of cycles because, in order to calculate a *Galois* field because multiplication is performed in digital logic using shift

Art Unit: 2123

registers and in order to shift the values inside these shift registers and *multiply* them then the shift register must be clocked a *plurality of cycles*.

Conclusion

10. Claims 1-5 and 7-45 have been presented for reconsideration in view of Applicant's arguments and amended claims language. **Claim 6** has been cancelled. **Claims 1-5 and 7-45** have been rejected.

10.1 Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

10.2 The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Seawright et al. U.S. Patent 5,920,711 discloses methods of generating HDL code and simulating a high-speed serial ATM circuit (**Figures 1-16 and Col. 16 Lines 30-48**).

Art Unit: 2123

“LH*_{RS}: A High-Availability Scalable Distributed Data structures using Reed Soloman Codes” by Witold Litwin and Thomas Schwarz discloses using ASCII strings for Galois field calculations using complex polynomials (**pages 239 & 240**).


“A New Cell Loss Recovery Method Using Forward Error Correction in ATM Networks” by Anna Hac and Xiaoyang Chu discloses FEC in ATM with simulation **Pages (97-103)**.

10.3 Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dwin M Craig whose telephone number is 703 305-7150. The examiner can normally be reached on 10:00 - 6:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Teska can be reached on 703 305-9704. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DMC



KEVIN J. TESKA
SUPERVISORY
PATENT EXAMINER